

# Cross Water Modular 750 RIB

(CE Category C)



Technical Datasheet Pack

## Brand Statement

Cross Water delivers mission-ready, modular solutions for maritime professionals. Our RIBs are engineered for performance, reliability, and adaptability in demanding environments.



## Quick Specs

Specification	Value
Overall Length	7.7 m (25 ft)
Beam (inflated)	2.55 m (8.3 ft)
Tube Diameter	0.44 m (1.5 ft)
Dry Weight (approx.)	1600 kg (3527 lbs)
Fuel Capacity (max / optional)	up to 320 L (84.5 US gal)
Max. Persons	8
Max. Engine Power	2 x 200 HP

# Principal Dimensions

Dimension	Value
Overall Length with engine(s):	8.3 m (27.2 ft)
Beam (deflated tube):	2.1 m (6.9 ft) - container compatible
Tube Diameter:	0.44 m (1.5 ft)
Internal Length:	6.45 m (21.1 ft)
Internal Beam:	1.5 m (5 ft)

# Weights & Ratings

Rating	Value
Dry Weight (approx.):	1600 kg (3527 lbs)
Payload Capacity (approx.):	1200 kg (2646 lbs)
Max. Persons:	8 (CE Category C)
Max. Engine Power:	2 x 200 HP

# Configuration: S1 (Single Engine)

Feature	Value
Engine	Outboard, XL (25") shaft
Engine power (max)	300 HP
Fuel tank (typical configs)	180 L
Steering	Electric
Max. speed	52 knots
Estimated range (depending on config.)	120 - 220 NM

# Configuration: T2 (Twin Engine)

Feature	Value
Engines	Outboard, XL + CXL (25") shaft
Engine power (max)	2 x 200 HP
Fuel tank (typical configs)	2 x 160 L
Steering	Electric
Max. speed	55 knots
Estimated range (depending on config.)	100 - 180 NM

# Standard Configuration



Feature	Value
Engines	Outboard, XL + CXL (25") shaft
Engine power (typical)	2 x 100 HP
Fuel tank (typical)	2 x 160 L
Steering	Electric
Modules	T-top console, 2 x suspension jockey seats

# Modular Mission Ecosystem



Navigation



Communication



Windfarm



Offshore construction



Diving



Harbour operations



Weapon systems



Surveillance & ISR

# Quoting Flow

1. Consultation
2. Configuration
3. Quotation
4. Order
5. Production
6. Delivery

## Contacts

Cross Water (XW) Production

[cross-water.com](http://cross-water.com)

[info@xwproduction.com](mailto:info@xwproduction.com)

Sweden / Estonia

## Disclaimer

As-built configuration data is representative of the described configuration. Cross Water makes no warranties, express or implied, as to the accuracy or completeness of this information. Consult with a Cross Water representative for the most up-to-date specifications and pricing.